



SAFETY DATA SHEET

Page : 1 / 5

Revised edition no : 0

Date : 6 / 11 / 2012

Supersedes : 0 / 0 / 0

RD-MUR ACRYL SATIN**WE1**

Health : 0	No unusual hazard.
Flammability : 0	Not combustible.
Reactivity : 0	Stable : Not reactive when mixed with water.
Special Notice Key : --	---

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : RD-MUR ACRYL
Type of product : Paint.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Domestic.
Industrial.

1.3. Details of the supplier of the safety data sheet

Company identification : RD-COATINGS
ZI de la Fagne
Rue Ernest Matagne, 19
5330 ASSESSE Belgique
Tel : 00 32 83 23 38 02 - nathalie.adam@dothee.com
Fax : 00 32 83 23 38 03

1.4. Emergency telephone number

Phone nr : + 32 (0)70 245 245

SECTION 2 Hazards identification

2.1. GHS-US Classification

None.

2.2. GHS-US labelling

None.

2.3. Other hazards

None.

2.4. Unknown acute toxicity (GHS-US)

None.

SECTION 3 Composition/information on ingredients

- Substance / Preparation : Preparation
- Components : Not classified as dangerous product.

RD Coatings USA

167 Avon Street, Stratford, CT 06615

USA Poison Center : 800-222-1222**RD-COATINGS**

ZI de la Fagne Rue Ernest Matagne, 19 5330 ASS ESSE Belgique

Tel : 00 32 83 23 38 02 - nathalie.adam@dothee.com

Fax : 00 32 83 23 38 03

In case of emergency : + 32 (0)70 245 245



SAFETY DATA SHEET

Page : 2 / 5

Revised edition no : 0

Date : 6 / 11 / 2012

Supersedes : 0 / 0 / 0

RD-MUR ACRYL SATIN

WE1

SECTION 4. First aid measures

4.1. Description of first aid measures

- Inhalation : None.
- Skin contact : None.
- Eye contact : Rinse with water.
- Ingestion : Ingestion unlikely. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

- Inhalation : None under normal conditions.
- Skin contact : None under normal conditions.
- Eye contact : None under normal conditions.
- Ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

- Emergency medical treatment : Not required.

SECTION 5. Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media can be used.

5.2. Special hazards arising from the substance or mixture

- Specific hazards : None.

5.3. Advice for firefighters

- Flammable class : Not flammable.
- Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures : Exercise caution when fighting any chemical fire.
- Surrounding fires : Use water spray or fog for cooling exposed containers.

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Contact with walking surface may result in formation of slippery film/falling hazard.

6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters.
Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods : Clean up any spills as soon as possible, using an absorbent material to collect it.
Use suitable disposal containers.
Recover the cleaning water for later disposal.

6.4. Reference to other sections

- See Heading 8.

RD Coatings USA

167 Avon Street, Stratford, CT 06615

RD-COATINGS

ZI de la Fagne Rue Ernest Matagne, 19 5330 ASS ESSE Belgique

Tel : 00 32 83 23 38 02 - nathalie.adam@dothee.com

Fax : 00 32 83 23 38 03

USA Poison Center : 800-222-1222

In case of emergency : + 32 (0)70 245 245



SAFETY DATA SHEET

Page : 3 / 5

Revised edition no : 0

Date : 6 / 11 / 2012

Supersedes : 0 / 0 / 0

RD-MUR ACRYL SATIN**WE1**

SECTION 7. Handling and storage

7.1. Precautions for safe handling

General : Handling and storage of this material do not require special precaution.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Store closed containers with closure in upper position.
Protect from freezing.
Storage temperature - maximum 25°C; minimum 5°C.

7.3. Specific end use(s)

See Heading 1.2.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

: Unlisted.

8.2. Exposure controls

- Respiratory protection : Not required.
- Skin protection : Not required.
- Eye protection : Not required.
- Others : Prevent entry to sewers and public waters.
Avoid release to the environment

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Appearance
- Physical state at 20 °C : Liquid.
- Odour : Acrylic.
- pH value : 7.5 - 8.5
- Flash point [°C] : Not applicable.
- Relative density : 1.42
- Solubility in water : Complete.
- Viscosity : 100 - 125 Poises

9.2. Other information

VOC (g/l) : This product contains max 30 g/l VOC
VOC family : EU limit value for this product (cat. A/c): 75 g/l (2007) / 40 g/l (2010).

SECTION 10. Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : None under normal conditions.

RD Coatings USA

167 Avon Street, Stratford, CT 06615

USA Poison Center : 800-222-1222**RD-COATINGS**

ZI de la Fagne Rue Ernest Matagne, 19 5330 ASS ESSE Belgique

Tel : 00 32 83 23 38 02 - nathalie.adam@dothee.com

Fax : 00 32 83 23 38 03

In case of emergency : + 32 (0)70 245 245



SAFETY DATA SHEET

Page : 4 / 5

Revised edition no : 0

Date : 6 / 11 / 2012

Supersedes : 0 / 0 / 0

RD-MUR ACRYL SATIN**WE1**

SECTION 10. Stability and reactivity (continued)

10.4. Conditions to avoid

Conditions to avoid : Store away from freezing (avoid freezing during storage).

10.5. Incompatible materials

Materials to avoid : None under normal conditions.

10.6. Hazardous decomposition products

Hazardous decomposition products : None under normal conditions.

Hazardous properties : None under normal conditions.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Toxicity information : This product is not hazardous.

- Acute toxicity : There are no data available on the mixture itself.
- Rat inhalation LC50 [mg/l/4h] : No data available.
- Rat oral LD50 [mg/kg] : No data available.
- Rabbit dermal LD50 [mg/kg] : No data available.
- Skin corrosion/irritation : Based on available data, the classification criteria are not met.
- Serious eye damage/irritation : Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.
- Germ cell mutagenicity : Non-mutagenic.
- Carcinogenicity : Not classifiable as a human carcinogen.
- Reproductive toxicity : Not applicable.
- STOT-single exposure : Based on available data, the classification criteria are not met.
- STOT-repeated exposure : Based on available data, the classification criteria are not met.
- Aspiration hazard : Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

Ecological effects information : Avoid release to the environment.

- LC50-96 Hour - fish [mg/l] : No data available.
- 48 Hour-EC50 - Daphnia magna [mg/l] : No data available.
- IC50 72h Algae [mg/l] : No data available.
- Information on elimination : Prevent entry to sewers and public waters.
- BOD5-value [mg/l] : No data available.
- COD-value [mg/l] : No data available.
- On product : There are no data available on the mixture itself.

RD Coatings USA

167 Avon Street, Stratford, CT 06615

USA Poison Center : 800-222-1222**RD-COATINGS**

ZI de la Fagne Rue Ernest Matagne, 19 5330 ASS ESSE Belgique

Tel : 00 32 83 23 38 02 - nathalie.adam@dothee.com

Fax : 00 32 83 23 38 03

In case of emergency : + 32 (0)70 245 245



SAFETY DATA SHEET

Page : 5 / 5

Revised edition no : 0

Date : 6 / 11 / 2012

Supersedes : 0 / 0 / 0

RD-MUR ACRYL SATIN**WE1**

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Disposal : Dispose of this material and its container at hazardous or special waste collection point. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Disposal method : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14. Transport information

General information : Not classified.

SECTION 15. Regulatory information

15.1. US Federal regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory.

15.2. International regulations

- **EU : Classification EC 67/548 or EC 1999/45** : This product is not classified as hazardous.
- **EU : Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)** : This product is not classified as hazardous.

15.3. US State regulations

Unlisted.

SECTION 16. Other information

Revision : 0
Print date : 22 / 3 / 2013

The contents and format of this SDS are in accordance with the Hazard Communication Standard rules established by OSHA on 26th March 2012.

End of document

RD Coatings USA

167 Avon Street, Stratford, CT 06615

USA Poison Center : 800-222-1222

RD-COATINGS

ZI de la Fagne Rue Ernest Matagne, 19 5330 ASS ESSE Belgique

Tel : 00 32 83 23 38 02 - nathalie.adam@dothee.com

Fax : 00 32 83 23 38 03

In case of emergency : + 32 (0)70 245 245